

Day	Uptime (%)	Downtime (%)	PSU Interface Response	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate
1	100	0		1533	1113	220	0.06
2	100	0		1544	1125	0	0.09
3	100	0		1529	1108	233	0.17
4	100	0		1616	1106	246	0.06
5	100	0		1801	1105	316	0.08
6	100	0		1959	1081	203	0.13
7	100	0		1804	1115	297	0.14
8	100	0		1659	1110	219	0.09
9	100	0		1632	1133	200	0.17
10	100	0		1558	1108	189	0.21
11	100	0		1533	1100	307	0.08
12	100	0		1701	1113	287	0.1
13	100	0		1863	1098	194	0.07
14	100	0		1750	1140	174	0.1
15	100	0		1563	1108	220	0.09
16	100	0		1612	1113	246	0.1
17	100	0		1590	1110	224	0.19
18	100	0		1517	1115	204	0.13
19	100	0		1615	1089	201	0.1
20	100	0		1766	1089	259	0.13
21	100	0		1790	1100	208	0.1
22	100	0		1701	1131	174	0.16
23	100	0		1589	1119	190	0.2
24	100	0		1525	1108	258	0.15
25	100	0		1537	1127	221	0.19
26	100	0		1596	1120	218	0.13
27	100	0		1622	1191	266	1.03
28	100	0		1582	1144	253	0.14
29	100	0		1549	1135	304	0.15
30	100	0		1572	1138	218	0.14
31	100	0		1661	1121	214	0.17
32	100	0		1588	1146	222	0.19
33	100	0		1655	1131	237	0.18
34	100	0		1927	1141	248	0.17
35	100	0		1761	1129	220	0.16
36	100	0		1561	1175	189	0.16
37	100	0		1573	1130	265	0.19
38	100	0		1562	1239	221	1.15
39	100	0		1621	1141	186	0.16
40	100	0		1705	1123	283	0.21
41	100	0		1848	1123	201	0.21
42	100	0		1685	1163	233	0.19
43	100	0		1593	1171	0	0.29

44	100	0		1616	1143	218	0.21
45	100	0		1559	1143	209	0.31
46	100	0		1555	1172	292	0.33
47	100	0		1637	1128	265	0.22
48	100	0		1917	1157	230	0.31
49	100	0		1799	1161	192	0.16
50	100	0		1656	1184	205	0.22
51	100	0		1581	1187	238	0.19
52	100	0		1686	1191	213	0.17
53	100	0		1604	1184	245	0.19
54	100	0		1594	1127	4151	0.29
55	100	0		1724	1116	207	0.37
56	100	0		1634	1144	227	0.21
57	100	0		1603	1105	211	0.27
58	100	0		1572	1106	250	0.26
59	100	0		1564	1100	274	0.2
60	100	0		1558	1104	242	0.17
61	100	0		1598	1077	246	0.17
62	100	0		1722	1091	218	0.15
63	100	0		1696	1109	293	0.22
64	100	0		1630	1096	237	0.21
65	100	0		1551	1109	229	0.26
66	100	0		1538	1121	325	0.13
67	100	0		1537	1095	185	0.19
68	100	0		1604	1107	417	0.18
69	100	0		1638	1119	203	0.11
70	100	0		1586	1130	221	0.17
71	100	0		1576	1132	346	0.2
72	100	0		1522	1129	234	0.19
73	100	0		1550	1143	269	0.16
74	100	0		1525	1158	214	0.15
75	100	0		1585	1112	238	0.18
76	100	0		1713	1115	186	0.13
77	100	0		1601	1146	293	0.23
78	100	0		1568	1117	0	0.17
79	100	0		1553	1107	244	0.16
80	100	0		1563	1128	282	0.2
81	100	0		1559	1132	212	0.29
82	100	0		1626	1118	230	0.31
83	100	0		1652	1256	221	1.07
84	100	0		1602	1170	232	0.32
85	100	0		1529	1134	284	0.38
86	100	0		1546	1117	266	0.41
87	100	0		1538	1150	299	0.34
88	100	0		1539	1128	234	0.44
89	100	0		1580	1130	257	0.37

90	99.9	0.1		1654	1209	869	0.65
91	100	0		1564	1155	252	0.41