

Day	Uptime (%)	Downtime (%)	PSU Interface Response	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate
1	100	0		1136	1014	0	0.15
2	100	0		728	1017	0	0.12
3	100	0		652	1045	0	0.13
4	100	0		0	1093	0	0.13
5	99.99	0.01		0	1133	0	0.19
6	100	0		0	1000	0	0.11
7	100	0		0	1009	0	0.12
8	100	0		1279	1067	0	0.16
9	100	0		153	1080	0	0.17
10	100	0		693	1025	0	0.12
11	100	0		910	1042	0	0.14
12	100	0		0	1086	0	0.61
13	100	0		1198	1004	0	0.11
14	100	0		481	1012	0	0.13
15	100	0		822	1056	0	0.13
16	100	0		702	1060	0	0.14
17	91.7	8.3		3196	4958	0	14.1
18	100	0		744	1360	0	0.38
19	99.98	0.02		497	618	0	1.08
20	100	0		846	469	0	0.22
21	100	0		561	574	0	0.26
22	100	0		584	520	0	0.22
23	100	0		656	449	0	0.12
24	100	0		915	481	0	0.14
25	100	0		574	445	0	0.1
26	99.91	0.09		744	650	0	0.55
27	100	0		719	480	0	0.13
28	100	0		794	480	0	0.15
29	100	0		788	466	0	0.1
30	100	0		835	470	0	0.1
31	100	0		600	467	0	0.1
32	100	0		0	479	0	0.06
33	100	0		0	481	0	0.03
34	100	0		0	474	0	0.06
35	100	0		859	474	0	0.09
36	100	0		611	478	0	0.12
37	100	0		735	483	0	0.1
38	99.82	0.18		780	465	0	1.01
39	100	0		617	414	0	0.08
40	100	0		1138	315	0	0

41	100	0		786	338	0	0.04
42	100	0		755	419	0	0.06
43	100	0		0	491	0	0.15
44	100	0		642	499	0	0.26
45	100	0		0	499	0	0.25
46	100	0		0	492	0	0.13
47	100	0		0	479	0	0.14
48	100	0		585	491	0	0.18
49	100	0		0	505	0	0.25
50	99.97	0.03		676	512	0	0.24
51	99.98	0.02		468	484	0	0.16
52	100	0		897	493	0	0.16
53	100	0		676	480	0	0.11
54	100	0		0	477	0	0.08
55	100	0		0	493	0	0.17
56	100	0		920	490	0	0.16
57	99.99	0.01		1032	495	0	0.15
58	100	0		828	498	0	0.18
59	100	0		571	499	0	0.17
60	99.87	0.13		0	494	0	0.15
61	98.87	1.13		0	1021	0	5.19
62	100	0		0	492	0	0.17
63	100	0		762	494	0	0.16
64	100	0		347	480	0	0.15
65	100	0		0	512	0	0.17
66	100	0		894	498	0	0.15
67	100	0		0	496	0	0.09
68	100	0		0	482	0	0.03
69	100	0		0	500	0	0.24
70	100	0		991	499	0	0.35
71	100	0		833	476	0	0.1
72	100	0		0	482	0	0.14
73	100	0		708	498	0	0.14
74	100	0		693	489	0	0.08
75	100	0		506	460	0	0.02
76	100	0		509	472	0	0.07
77	99.99	0.01		1094	488	0	0.13
78	100	0		668	491	0	0.09
79	100	0		747	486	0	0.1
80	100	0		1036	482	0	0.09
81	100	0		1434	464	0	0.07
82	99.58	0.42		559	596	0	1.49
83	100	0		910	489	0	0.13
84	100	0		877	475	0	0.1
85	100	0		1155	475	0	0.09

86	100	0		972	482	0	0.09
87	100	0		938	481	0	0.15
88	100	0		530	436	0	0.11
89	100	0		0	443	0	0.02
90	99.99	0.01		763	460	0	0.09
91	100	0		693	471	0	0.14
92	100	0		179	457	0	0.11
Average	99.89	0.11		796.78	645.09		0.3848